

Package: ManyIVsNets (via r-universe)

May 20, 2026

Type Package

Title Environmental Phillips Curve Analysis with Multiple Instrumental Variables and Networks

Version 0.1.1

Date 2025-06-07

Description Comprehensive toolkit for Environmental Phillips Curve analysis featuring multidimensional instrumental variable creation, transfer entropy causal discovery, network analysis, and state-of-the-art econometric methods. Implements geographic, technological, migration, geopolitical, financial, and natural risk instruments with robust diagnostics and visualization. Provides 24 different instrumental variable approaches with empirical validation. Methods based on Phillips (1958) <[doi:10.1111/j.1468-0335.1958.tb00003.x](https://doi.org/10.1111/j.1468-0335.1958.tb00003.x)>, transfer entropy by Schreiber (2000) <[doi:10.1103/PhysRevLett.85.461](https://doi.org/10.1103/PhysRevLett.85.461)>, and weak instrument tests by Stock and Yogo (2005) <[doi:10.1017/CBO9780511614491.006](https://doi.org/10.1017/CBO9780511614491.006)>.

License MIT + file LICENSE

URL <https://github.com/avishekb9/ManyIVsNets>,
<https://avishekb9.github.io/ManyIVsNets/>

BugReports <https://github.com/avishekb9/ManyIVsNets/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

Depends R (>= 4.0.0)

Imports dplyr, readr, igraph, ggplot2, ggraph, AER, lmtest, sandwich, magrittr

Suggests testthat (>= 3.0.0), rmarkdown, pkgdown, knitr, RTransferEntropy, tidyr, viridis, countrycode, spelling

VignetteBuilder knitr

Config/testthat/edition 3

Language en-US

NeedsCompilation no

Author Avishek Bhandari [aut, cre, cph]

Maintainer Avishek Bhandari <bavisek@gmail.com>

Config/pak/sysreqs

cmake libfontconfig1-dev libfreetype6-dev libglpk-dev make libicu-dev libxml2-dev libx11-dev

Repository <https://avishekb9.r-universe.dev>

Date/Publication 2025-06-18 11:00:34 UTC

RemoteUrl <https://github.com/avishekb9/manyivsnets>

RemoteRef HEAD

RemoteSha ede017e8ef844a50681f1233edc944c0f690a311

Contents

calculate_instrument_strength	3
conduct_transfer_entropy_analysis	3
create_alternative_sota_instruments	4
create_composite_instruments	4
create_comprehensive_network_plots	5
create_comprehensive_results_table	5
create_enhanced_test_data	6
create_publication_summary	6
create_real_instruments_from_data	7
create_te_based_instruments	7
create_test_epc_data	8
create_test_instruments	8
export_comprehensive_results	8
load_epc_data_corrected	9
merge_epc_with_created_instruments	10
plot_country_income_network	10
plot_cross_income_co2_nexus	11
plot_instrument_causal_pathways	11
plot_instrument_strength_comparison	12
plot_migration_impact	12
plot_regional_network	13
plot_transfer_entropy_network	13
run_complete_epc_analysis	14
run_comprehensive_epc_models	14
run_comprehensive_iv_diagnostics	15
sample_epc_data	15

Index

17

calculate_instrument_strength
Calculate Instrument Strength

Description

Calculate Instrument Strength

Usage

```
calculate_instrument_strength(data)
```

Arguments

data Enhanced EPC data

Value

Data frame with instrument strength results

conduct_transfer_entropy_analysis
Conduct Transfer Entropy Analysis for Causal Discovery

Description

Conduct Transfer Entropy Analysis for Causal Discovery

Usage

```
conduct_transfer_entropy_analysis(data)
```

Arguments

data Enhanced EPC data with instruments

Value

List containing transfer entropy matrix, network, and metadata

Examples

```
# Transfer entropy analysis (computationally intensive)
data(sample_epc_data)
te_results <- conduct_transfer_entropy_analysis(sample_epc_data)
```

`create_alternative_sota_instruments`*Create Alternative State-of-the-Art Instruments*

Description

Create Alternative State-of-the-Art Instruments

Usage

```
create_alternative_sota_instruments(data)
```

Arguments

`data` Enhanced EPC data

Value

Data frame with alternative SOTA instruments

`create_composite_instruments`*Create Composite Instruments using Factor Analysis*

Description

Create Composite Instruments using Factor Analysis

Usage

```
create_composite_instruments(instruments)
```

Arguments

`instruments` Data frame with individual instruments

Value

Enhanced data frame with composite instruments

create_comprehensive_network_plots
Create Comprehensive Network Plots

Description

Create Comprehensive Network Plots

Usage

```
create_comprehensive_network_plots(  
  te_results,  
  te_iv_results,  
  data,  
  strength_results,  
  output_dir = tempdir()  
)
```

Arguments

te_results	Transfer entropy results
te_iv_results	Transfer entropy IV results
data	Enhanced EPC data
strength_results	Instrument strength results
output_dir	Directory to save plots (optional)

Value

List of plot objects

create_comprehensive_results_table
Create Comprehensive Results Table

Description

Create Comprehensive Results Table
Create Comprehensive Results Table

Usage

```
create_comprehensive_results_table(models, diagnostics)  
  
create_comprehensive_results_table(models, diagnostics)
```

Arguments

models	List of fitted models
diagnostics	List of diagnostic results

Value

Data frame with comprehensive results
 Data frame with comprehensive results

create_enhanced_test_data
Create enhanced test data with all required variables

Description

Create enhanced test data with all required variables

Usage

```
create_enhanced_test_data()
```

Value

Data frame with enhanced test data

create_publication_summary
Create Publication Summary

Description

Create Publication Summary

Usage

```
create_publication_summary(results_table, strength_results, te_results)
```

Arguments

results_table	Main results table
strength_results	Instrument strength results
te_results	Transfer entropy results

Value

Character vector with summary text

`create_real_instruments_from_data`*Create Real Multidimensional Instruments from Economic Data*

Description

Create Real Multidimensional Instruments from Economic Data

Usage

```
create_real_instruments_from_data(epc_data)
```

Arguments

`epc_data` Data frame containing EPC data with country and year columns

Value

Data frame with created instruments

Examples

```
# Create instruments using built-in sample data
data(sample_epc_data)
instruments <- create_real_instruments_from_data(sample_epc_data)
head(instruments)
```

`create_te_based_instruments`*Create Transfer Entropy-Based Instruments*

Description

Create Transfer Entropy-Based Instruments

Usage

```
create_te_based_instruments(data, te_results)
```

Arguments

`data` EPC data
`te_results` Transfer entropy analysis results

Value

List with enhanced data and network centralities

create_test_epc_data *Create test EPC data for testing*

Description

Create test EPC data for testing

Usage

```
create_test_epc_data()
```

Value

Data frame with test EPC data

create_test_instruments
Create test instruments for testing

Description

Create test instruments for testing

Usage

```
create_test_instruments()
```

Value

Data frame with test instruments

export_comprehensive_results
Export Comprehensive Results to CSV

Description

Export Comprehensive Results to CSV

Usage

```
export_comprehensive_results(  
  models,  
  diagnostics,  
  strength_results,  
  te_results,  
  instruments,  
  centralities,  
  output_dir = tempdir()  
)
```

Arguments

models	List of fitted models
diagnostics	List of diagnostic results
strength_results	Instrument strength results
te_results	Transfer entropy results
instruments	Created instruments data
centralities	Country network centralities
output_dir	Directory to save files

load_epc_data_corrected

Load and Clean EPC Data

Description

Load and Clean EPC Data

Usage

```
load_epc_data_corrected(file_path = "epc_data_new_ar5_indicators.csv")
```

Arguments

file_path	Path to the EPC data CSV file
-----------	-------------------------------

Value

Cleaned EPC data frame

Examples

```
# Load sample EPC data from package
sample_file <- system.file("extdata", "sample_epc_data.csv", package = "ManyIVsNets")
if (file.exists(sample_file)) {
  epc_data <- load_epc_data_corrected(sample_file)
  head(epc_data)
}

# Example with external file (only runs if file exists)
if (file.exists("your_epc_data.csv")) {
  epc_data <- load_epc_data_corrected("your_epc_data.csv")
}
```

merge_epc_with_created_instruments

Merge EPC Data with Created Instruments

Description

Merge EPC Data with Created Instruments

Usage

```
merge_epc_with_created_instruments(epc_data, instruments)
```

Arguments

epc_data	EPC data frame
instruments	Instruments data frame

Value

Enhanced data frame with merged instruments

plot_country_income_network

Create Country Network Visualization by Income Classification

Description

Create Country Network Visualization by Income Classification

Usage

```
plot_country_income_network(country_network, output_dir = NULL)
```

Arguments

country_network igraph network object
output_dir Directory to save plots (optional)

Value

ggplot object

plot_cross_income_co2_nexus
Create Cross-Income CO2 Growth Nexus Visualization

Description

Create Cross-Income CO2 Growth Nexus Visualization

Usage

```
plot_cross_income_co2_nexus(data, output_dir = NULL)
```

Arguments

data Enhanced EPC data
output_dir Directory to save plots (optional)

Value

ggplot object

plot_instrument_causal_pathways
Create Instrument Causal Pathways Network

Description

Create Instrument Causal Pathways Network

Usage

```
plot_instrument_causal_pathways(data, output_dir = NULL)
```

Arguments

data Enhanced EPC data
output_dir Directory to save plots (optional)

Value

ggplot object

plot_instrument_strength_comparison

Create Instrument Strength Comparison Visualization

Description

Create Instrument Strength Comparison Visualization

Usage

```
plot_instrument_strength_comparison(strength_results, output_dir = NULL)
```

Arguments

strength_results	Data frame with instrument strength results
output_dir	Directory to save plots (optional)

Value

ggplot object

plot_migration_impact *Create Migration Impact Visualization*

Description

Create Migration Impact Visualization

Usage

```
plot_migration_impact(data, output_dir = NULL)
```

Arguments

data	Enhanced EPC data
output_dir	Directory to save plots (optional)

Value

ggplot object

plot_regional_network *Create Regional Network Visualization*

Description

Create Regional Network Visualization

Usage

```
plot_regional_network(data, output_dir = NULL)
```

Arguments

data	Enhanced EPC data
output_dir	Directory to save plots (optional)

Value

ggplot object

plot_transfer_entropy_network
Create Transfer Entropy Network Visualization

Description

Create Transfer Entropy Network Visualization

Usage

```
plot_transfer_entropy_network(te_results, output_dir = NULL)
```

Arguments

te_results	Transfer entropy analysis results
output_dir	Directory to save plots (optional)

Value

ggplot object

run_complete_epc_analysis

Run Complete EPC Analysis Pipeline

Description

Run Complete EPC Analysis Pipeline

Usage

```
run_complete_epc_analysis(data_file = NULL, output_dir = tempdir())
```

Arguments

data_file	Path to EPC data file (optional)
output_dir	Directory for outputs

Value

List with all analysis results

run_comprehensive_epc_models

Run Comprehensive EPC Models

Description

Run Comprehensive EPC Models

Usage

```
run_comprehensive_epc_models(data)
```

Arguments

data	Enhanced EPC data with all instruments
------	--

Value

List of fitted models

`run_comprehensive_iv_diagnostics`*Run Comprehensive IV Diagnostics*

Description

Run Comprehensive IV Diagnostics

Run Comprehensive IV Diagnostics

Usage`run_comprehensive_iv_diagnostics(models)``run_comprehensive_iv_diagnostics(models)`**Arguments**`models` List of fitted models**Value**

List of diagnostic results

List of diagnostic results

`sample_epc_data`*Sample Environmental Phillips Curve Data*

Description

A dataset containing Environmental Phillips Curve variables for 5 countries from 1991 to 2021, used for testing and demonstration purposes.

Usage`sample_epc_data`**Format**

A data frame with 155 rows and 9 variables:

country Country name**year** Year (1991-2021)**CO2_per_capita** CO2 emissions per capita**UR** Total unemployment rate

URF Female unemployment rate

URM Male unemployment rate

PCGDP Per capita GDP

Trade Trade openness

RES Renewable energy share

Source

Generated for package testing and demonstration

Index

* datasets

- sample_epc_data, [15](#)

- calculate_instrument_strength, [3](#)
- conduct_transfer_entropy_analysis, [3](#)
- create_alternative_sota_instruments, [4](#)
- create_composite_instruments, [4](#)
- create_comprehensive_network_plots, [5](#)
- create_comprehensive_results_table, [5](#)
- create_enhanced_test_data, [6](#)
- create_publication_summary, [6](#)
- create_real_instruments_from_data, [7](#)
- create_te_based_instruments, [7](#)
- create_test_epc_data, [8](#)
- create_test_instruments, [8](#)

- export_comprehensive_results, [8](#)

- load_epc_data_corrected, [9](#)

- merge_epc_with_created_instruments, [10](#)

- plot_country_income_network, [10](#)
- plot_cross_income_co2_nexus, [11](#)
- plot_instrument_causal_pathways, [11](#)
- plot_instrument_strength_comparison, [12](#)
- plot_migration_impact, [12](#)
- plot_regional_network, [13](#)
- plot_transfer_entropy_network, [13](#)

- run_complete_epc_analysis, [14](#)
- run_comprehensive_epc_models, [14](#)
- run_comprehensive_iv_diagnostics, [15](#)

- sample_epc_data, [15](#)